



CENTURION REMEDIES PVT. LTD.

G-5, INDUSTRIAL ESTATE, GORWA, VADODARA-390016
REG.OFF.: G-5, INDUSTRIAL ESTATE, GORWA, VADODARA-390016
Phone : 2282061, 2281074, 3290522 Fax : 2280436 C.I.No. : U24231GJ2003PTC42254
Email : cen_lab@rediff.com

QUALITY CONTROL DEPARTMENT THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER




Page 1 of 1

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name : CENFORCE 25 TABLETS	A.R. No. : F/0305/2223
Packing : 10x10 TAB	Rel. Dt. : 10-05-2022
Generic Name : SILDENAFIL CITRATE TABLETS	T.R. Slip No. : CPT220338
Product Code : TC-41	T.R. Slip Dt. : 10-05-2022
Batch No. : TC-410021	Analysis Date : 10-05-2022
Actual Batch Size : 500000 TAB	Specification No. : CRFS/TC-41/2223
Mfg. Dt. : 04/2022	Specification Dt. : 10-05-2022
Exp. Dt. : 03/2025	STP No. : STP/TC-41/AS PER IH
Test Packing : 10X10 TAB	Location : GORWA01
Mfg. Lic No. : G/25/1325	Make : CENTURION
Sample Size : 50.000 TAB	Test As Per : IH
Released Qty : 500000.000 TAB (5000 CAR)	
Remarks : PASS	

Sr.	Test	Result	Specification
1	DESCRIPTION	A blue colored, diamond shaped, biconvex, film coated tablets, engraved with "25" on one side & plain on other side.	A blue colored, diamond shaped, biconvex, film coated tablets, engraved with "25" on one side & plain on other side.
2	AVERAGE WEIGHT OF TABLETS	271.36 mg	272.95 mg \pm 5.00 % of avg. weight
3	UNIFORMITY OF WEIGHT	H.L.: + 3.59 % L.L.: - 2.38 %	Within \pm 5.00 % of avg. weight
4	THICKNESS	3.99 mm	4.10 mm \pm 0.2 mm
5	DISINTEGRATION TIME	05 Minutes 57 Seconds in Water Medium at 37 °C	NMT 30 Minutes in Water Medium at 37 °C
6	DISSOLUTION	93.48 %	NLT 70.00 %
7	ASSAY	99.91 %	Each Film Coated Tablet Contains: Sildenafil Citrate Eq. to Sildenafil.....25 mg [Limit : 90.00 % To 110.00 %]

Conclusion : The above sample complies as per IH
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Prepared By  SURBHI QC CHEMIST	Checked By  PINALPATEL Q.C IN CHARGE	Approved By  BINDU JOSHI QA HEAD
---	---	---