



# CENTURION REMEDIES PVT. LTD.

G-5, INDUSTRIAL ESTATE, GORWA, VADODARA-390016  
REG.OFF.: G-5, INDUSTRIAL ESTATE, GORWA, VADODARA-390016  
Phone : 2282061, 2281074.3290522 Fax : 2280436 C.I.No. : U24231GJ2003PTC42254  
Email : cen\_lab@rediff.com

## QUALITY CONTROL DEPARTMENT THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER




Page 1 of 1

### FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : CENFORCE FM TABLETS <b>Packing</b> : 10x10 TAB <b>Generic Name</b> : SILDENAFIL CITRATE TABLETS	<b>A.R. No.</b> : F/0368/2223 <b>Rel. Dt.</b> : 19-05-2022 <b>T.R. Slip No.</b> : CPT220400 <b>T.R. Slip Dt.</b> : 19-05-2022 <b>Analysis Date</b> : 19-05-2022 <b>Specification No.</b> : CRFS/TC-43/2223
<b>Product Code</b> : TC-43 <b>Batch No.</b> : TC-430013 <b>Actual Batch Size</b> : 200000 TAB	<b>Mfg. Dt.</b> : 04/2022 <b>Exp. Dt.</b> : 03/2025 <b>Test Packing</b> : 10X10 TAB <b>Mfg. Lic No.</b> : G/1325
<b>Sample Size</b> : 50.000 TAB <b>Released Qty</b> : 200000.000 TAB (2000 CAR)	<b>Test As Per</b> : IH
<b>Remarks</b> : PASS	<b>Specification Dt.</b> : 19-05-2022 <b>STP No.</b> : STP/TC-43/AS PER IH <b>Location</b> : GORWA01 <b>Make</b> : CENTURION

Sr.	Test	Result	Specification
1	DESCRIPTION	A pink coloured, diamond shaped, biconvex film coated tablets, engraved with "100" on both sides.	A pink coloured, diamond shaped, biconvex film coated tablets, engraved with "100" on both sides.
2	AVERAGE WEIGHT OF TABLETS	541.48 mg	540.90 mg $\pm$ 5.0 % of avg. weight
3	UNIFORMITY OF WEIGHT	H.L. : + 1.35 % L.L. : - 1.66 %	Within $\pm$ 5.0 % of avg. weight
4	THICKNESS	4.66 mm	4.80 mm $\pm$ 0.2 mm
5	DISINTEGRATION TIME	01 minute 08 seconds in Water Medium at 37 °C	NMT 30 minutes in Water Medium at 37 °C
6	DISSOLUTION	98.59 %	NLT 70.00 %
7	ASSAY BY HPLC	101.12 %	Each Film Coated Tablet Contains: Sildenafil Citrate Eq. to Sildenafil.....100 mg [Limit: 90.00 % to 110.00 %]

Conclusion : The above sample complies as per IH  
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

<b>Prepared By</b>  SURBHI QC CHEMIST	<b>Checked By</b>  PINALPATEL Q.C IN CHARGE	<b>Approved By</b>  BINDU JOSHI QA HEAD
--	---	---