



# CENTURION REMEDIES PVT. LTD.

G-5/6, H-10 & F-19, INDUSTRIAL ESTATE ,,GORWA,,VADODARA-390016  
REG.OFF.: G-5/6, H-10 & F-19, INDUSTRIAL ESTATE ,,GORWA,,VADODARA-390016  
Phone : 2282061,2281074.3290522 Fax : 2280436 C.I.No. : U24231GJ2003PTC42254  
Email : cen\_lab@rediff.com

## QUALITY CONTROL DEPARTMENT THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER




Page 1 of 1

### FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : CENFORCE SOFT 100	<b>A.R. No.</b> : F/2447/2223
<b>Packing</b> : 10x10 TAB	<b>Rel. Dt.</b> : 06-03-2023
<b>Generic Name</b> : SILDENAFIL CITRATE CHEWABLE TABLETS 100 MG	<b>T.R. Slip No.</b> : CPT222749
<b>Product Code</b> : TC-62	<b>T.R. Slip Dt.</b> : 01-03-2023
<b>Batch No.</b> : TC-620018	<b>Analysis Date</b> : 06-03-2023
<b>Actual Batch Size</b> : 400000 TAB	<b>Specification No.</b> : CRFS/TC-62/2223
<b>Mfg. Dt.</b> : FEB-2023	<b>Specification Dt</b> : 25-05-2022
<b>Exp. Dt.</b> : JAN-2026	<b>STP No.</b> : STP/TC-62/ASPERIH
<b>Test Packing</b> : 10X10 TAB	<b>Location</b> : GORWA01
<b>Mfg. Lic No.</b> : G/1325	<b>Make</b> : CENTURION
<b>Sample Size</b> : 50.000 TAB	
<b>Released Qty</b> : 400000.000 TAB (4000 CAR)	<b>Test As Per</b> : IH
<b>Remarks</b> : pass	

Sr.	Test	Result	Specification
1	DESCRIPTION	A White colored, Diamond shaped, uncoated chewable tablets,with mint flavoured, Engraved "100" on both sides.	A White colored, Diamond shaped, uncoated chewable tablets,with mint flavoured, Engraved "100" on both sides.
2	AVERAGE WEIGHT OF TABLETS	585.44 mg	580.0mg ± 5.0 % of avg.weight.
3	UNIFORMITY OF WEIGHT	H.L : + 2.12 % L.L : - 2.96 %	Within ± 5.0 % of avg. weight
4	THICKNESS	5.11 mm	5.00 mm ± 0.4 mm
5	FRIABILITY	0.43 %	NMT 1.0 %
6	ASSAY BY HPLC	98.61 %	Each Uncoated Chewable Tablet contains : Sildenafil Citrate Eq. to Sildenafil.....100 MG [ LIMIT : 90.00 % to 110.00 % ]

Conclusion : The above sample complies as per IH  
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

<b>Prepared By</b>  PARTH CHAUHAN TRAINEE CHEMIST	<b>Checked By</b>  ASMITA MANAGER QC	<b>Approved By</b>  CHEXA PATEL QA OFFICER
---	--	--