



# CENTURION REMEDIES PVT. LTD.

G-5/6, H-10 & F-19, INDUSTRIAL ESTATE ,,GORWA,,VADODARA-390016  
REG.OFF.: G-5/6, H-10 & F-19, INDUSTRIAL ESTATE ,,GORWA,,VADODARA-390016  
Phone : 2282061,2281074.3290522 Fax : 2280436 C.I.No. : U24231GJ2003PTC42254  
Email : cen\_lab@rediff.com

**A/C OF FORTUNE HEALTHCARE PRODUCT PVT LTD**  
**QUALITY CONTROL DEPARTMENT**  
**THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER**

Page 1 of 1

## FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : FILITRA 20	<b>A.R. No.</b> : F/0725/2324
<b>Packing</b> : 10x10 TAB	<b>Rel. Dt.</b> : 30-05-2023
<b>Generic Name</b> : VARDENAFIL TABLETS 20 MG	<b>T.R. Slip No.</b> : CFPAP23010
<b>Product Code</b> : TF-106FHPP	<b>T.R. Slip Dt.</b> : 30-05-2023
<b>Batch No.</b> : TF-1060001	<b>Analysis Date</b> : 30-05-2023
<b>Actual Batch Size</b> : 40000 TAB	<b>Specification No.</b> : CRFS/TF-106FHPP/2324
<b>Mfg. Dt.</b> : APR-2023	<b>Specification Dt.</b> : 30-05-2023
<b>Exp. Dt.</b> : MAR-2026	<b>STP No.</b> : STP/TF-106FHPP/ASPERIH
<b>Test Packing</b> : 10X10 TAB	<b>Location</b> : GORWA01
<b>Mfg. Lic No.</b> : G/25A/5665-A	<b>Make</b> : FHPPL
<b>Sample Size</b> : 50.000 TAB	<b>Test As Per</b> : IH
<b>Released Qty</b> : 40000.000 TAB (400 CAR)	
<b>Remarks</b> : PASS	

Sr.	Test	Result	Specification
1	DESCRIPTION	A Yellow coloured, round shaped, biconvex , engraved " 20 " on one side,plain on other side,film coated tablet.	A Yellow colored, round shaped, biconvex , engraved " 20 " on one side and plain on other side,film coated tablets.
2	IDENTIFICATION	complies	must complies as per IH.
1	BY HPLC	In the Assay,the principal peak in the chromatogram obtained with the test solution is corresponds to the peak in the chromatogram obtained with the reference solution.	In the Assay,the principal peak in the chromatogram obtained with the test solution should correspond to the peak in the chromatogram obtained with the reference solution.
3	AVERAGE WEIGHT OF 20 TABLETS	110.25 mg	108.15 mg ± 5.0% of avg. weight
4	UNIFORMITY OF WEIGHT	L.L = -2.11% H.L = +2.52%	Within ± 7.5 % of avg. weight
5	THICKNESS	3.19 mm	3.10 mm ± 0.2 mm
6	DIAMETER	6.28 mm	6.30 mm ± 0.2mm
7	DISINTEGRATION TIME	7 Minutes 14 seconds in Water Medium at 37°C .	NMT 30 Min.
8	ASSAY BY HPLC	98.91 %	Each Film coated tablets contains : Vardenafil Hcl Eq to Vardenafil 20 MG [Limit :90.0 % to 110.0 %]

**Conclusion :** The above sample complies as per IH  
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Prepared By

Checked By

Approved By

*MAHIPAL RATHOD*  
MAHIPAL RATHOD  
TRAINEE OFFICER

*ASMITA*  
ASMITA  
MANAGER QC

*VANI PATEL*  
VANI PATEL  
QA HEAD

TRUPTI 02-08-23 02:05 PM

FGANLCERTQA