



# CENTURION REMEDIES PVT. LTD.

G-5/6, H-10 & F-19, INDUSTRIAL ESTATE ,,GORWA,,VADODARA-390016  
REG.OFF.: G-5/6, H-10 & F-19, INDUSTRIAL ESTATE ,,GORWA,,VADODARA-390016  
Phone : 2282061,2281074.3290522 Fax : 2280436 C.I.No. : U24231GJ2003PTC42254  
Email : cen\_lab@rediff.com

**A/C OF FORTUNE HEALTH CARE**  
**QUALITY CONTROL DEPARTMENT**  
**THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER**




Page 1 of 1

## FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : FILDENA DOUBLE 200	<b>A.R. No.</b> : F/2465/2223
<b>Packing</b> : 10x10 TAB	<b>Rel. Dt.</b> : 03-03-2023
<b>Generic Name</b> : SILDENAFIL CITRATE TABLETS	<b>T.R. Slip No.</b> : CFPAP22076
<b>Product Code</b> : TF-37FORTU	<b>T.R. Slip Dt.</b> : 03-03-2023
<b>Batch No.</b> : TF-370014	<b>Analysis Date</b> : 03-03-2023
<b>Actual Batch Size</b> : 150000 TAB	<b>Specification No.</b> : CRFS/TF-37FORTU/2021
<b>Mfg. Dt.</b> : FEB-2023	<b>Specification Dt.</b> : 13-07-2020
<b>Exp. Dt.</b> : JAN-2026	<b>STP No.</b> : STP/TF-37FORTU/IHS
<b>Test Packing</b> : 10X10 TAB	<b>Location</b> : GORWA01
<b>Mfg. Lic No.</b> : G/3167-A	<b>Make</b> : FORTUNE
<b>Sample Size</b> : 100.000 TAB	
<b>Released Qty</b> : 150000.000 TAB (1500 CAR)	<b>Test As Per</b> : IH
<b>Remarks</b> : PASS	

Sr.	Test	Result	Specification
1	DESCRIPTION	A black colored, triangle shaped, biconvex, film coated tablet, engraved with "f" on one side and plain on other side.	A black colored, triangle shaped, biconvex, film coated tablet, engraved with "f" on one side and plain on other side.
2	AVERAGE WEIGHT OF TABLETS	537.60 mg	535.60 mg $\pm$ 5.0% of avg. weight
3	UNIFORMITY OF WEIGHT	H.L. : +2.64% L.L. : -2.12%	Within $\pm$ 5.0% of avg. weight
4	THICKNESS	5.33 mm	5.30 mm $\pm$ 0.2 mm
5	DISINTEGRATION TIME	10 Min. 14 Sec. in Water : Medium at 37°C	NMT 30 Minutes in Water : Medium at 37°C
6	DISSOLUTION	88.15 %	NLT 70.0%
7	ASSAY	96.23%	Each Film Coated Tablet Contains: Sildenafil Citrate Eq. to Sildenafil 200 mg [Limit : 90.0 % to 110.0 %]

Conclusion : The above sample complies as per IH  
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

<b>Prepared By</b>  JAYDEEP QA OFFICER	<b>Checked By</b>  ASMITA MANAGER QC	<b>Approved By</b>  CHEXA PATEL QA OFFICER
--	--	--