



# CENTURION REMEDIES PVT. LTD.

G-5, INDUSTRIAL ESTATE, GORWA, VADODARA-390016  
REG.OFF.: G-5, INDUSTRIAL ESTATE, GORWA, VADODARA-390016  
Phone : 2282061, 2281074, 3290522 Fax : 2280436 C.I.No. : U24231GJ2003PTC42254  
Email : cen\_lab@rediff.com

**A/C OF FORTUNE HEALTH CARE**  
**QUALITY CONTROL DEPARTMENT**  
**THE DRUG & COSMETIC ACT. 1940 & THE RULES THEREUNDER**




Page 1 of 1

## FINISHED PRODUCT CERTIFICATE OF ANALYSIS

<b>Product Name</b> : FILDENA PROFESSIONAL TABLETS	<b>A.R. No.</b> : F/0727/2223
<b>Packing</b> : 10x10 TAB	<b>Rel. Dt.</b> : 01-07-2022
<b>Generic Name</b> : SILDENAFIL CITRATE SUBLINGUAL TABLETS	<b>T.R. Slip No.</b> : CFPAP22021
<b>Product Code</b> : TF-15FORTU	<b>T.R. Slip Dt.</b> : 29-06-2022
<b>Batch No.</b> : TF-150005	<b>Analysis Date</b> : 29-06-2022
<b>Actual Batch Size</b> : 70000 TAB	<b>Specification No.</b> : CRFS/TF-15FORTU/1819
<b>Mfg. Dt.</b> : 04/2022	<b>STP No.</b> : STP/TF-15FORTU AS PER IHS
<b>Exp. Dt.</b> : 03/2025	<b>Location</b> : GORWA01
<b>Test Packing</b> : 10X10 TAB	<b>Make</b> : FORTUNE
<b>Mfg. Lic No.</b> : G/3167-A	
<b>Sample Size</b> : 50.000 TAB	
<b>Released Qty</b> : 70000.000 TAB (700 CAR)	<b>Test As Per</b> : IH
<b>Remarks</b> : pass	

Sr.	Test	Result	Specification
1	DESCRIPTION	A White coloured, Triangle Shaped, Biconvex, uncoated, strawberry flavoured, sublingual tablet, engraved with "F" on one side & "100" on other side.	A White coloured, Triangle Shaped, Biconvex, uncoated, strawberry flavoured, sublingual tablet, engraved with "F" on one side & "100" on other side.
2	AVERAGE WEIGHT OF TABLETS	538.21 mg	535.00 mg $\pm$ 3 % of avg. weight
3	UNIFORMITY OF WEIGHT	H.L.=+2.65% L.L=-2.74%	Complies Within $\pm$ 5% of avg. weight
4	THICKNESS	5.27 mm	5.30 mm $\pm$ 0.2 mm
5	DISINTEGRATION TIME	01 minute 12 sec in water : medium at 25°C	NMT 3 MIN.
6	HARDNESS	5 kg/cm <sup>2</sup>	NLT 3 kg/cm <sup>2</sup>
7	FRIABILITY	0.42 %	NMT 1 %
8	ASSAY	99.66%	Each Uncoated Sublingual Tablet Contains : Sildenafil Citrate Eq. to Sildenafil 100 mg [Limit :90 % to 110 %]

Conclusion : The above sample complies as per IH  
In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

<b>Prepared By</b>  BHAUMIK PRAJAPATI QC CHEMIST	<b>Checked By</b>  SWAPNESH MISTRY HEAD QC	<b>Approved By</b>  DIGMA PATEL ASSISTANT MANAGER Q.A.
----------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------